

Medical Birth Survey Data

Statistics Current to June 2007

Triplet Profile

Pregnancy:

- ▼The MOST Birth Survey contains 1504 responses from triplet families.
- ♥Pregnancy was confirmed on average at 4.1 weeks (ranging 1-35 weeks)
- ▼Triplets were confirmed on average at 7.2 weeks (ranging 1-35 weeks)
- Triplet mothers were referred to a high-risk specialist on average at 10.9 weeks (ranging 0-35 weeks)
- ▼The average gestation of a triplet pregnancy is 33.1 weeks (ranging 16 39 weeks)
- ▼The average weight gain for a triplet pregnancy is 50.2 lbs (ranging 30 175 lbs)
- ♥62% of triplet mothers in this study received steroid injections prior to delivery.
- ▼20% of triplet mothers in this survey had a cerclage performed.

Delivery:

Average birth weight for triplets is 4lbs 1oz.

_	e triplet birth weights	Weight Range	NICU Stay in days (range)	Hospital Stay in days (range)				
Baby 1	4 lbs 3 oz	0 - 9 lbs 8 oz	18.3 (0-336 days)	22.2 (0-336 days)				
Baby 2	4 lbs 2 oz	0 - 7 lbs 6 oz	18.5 (0-336 days)	22.5 (0-336 days)				
Baby 3	4 lbs 0 oz	0 - 7 lbs 4 oz	19.9 (0-336 days)	23.6 (0-336 days)				

Reason for delivery:

- ₹34.4% delivered due to labor progressing
- ♥21.4% were scheduled deliveries (C-section/induction)
- ▼13.4% delivered due to ruptured membranes (PROM)
- ♥14.1% delivered due to maternal complications

- ₹8.8% delivered due to fetal complication
- ₹5.3% delivered due to preeclampsia (high blood pressure)
- The remaining 2.6% delivered for the following reasons: poor fetal growth, fetal distress, placental abruption, eclampsia, HELPP syndrome, pulmonary edema, low or high amniotic fluid levels, uterine infection, complications of twin-to-twin transfusion syndrome, umbilical cord flow problems, fetal demise, kidney failure, and other.

The average gestation for a scheduled delivery was 35.3 weeks.

The average gestation due to preterm labor and other complications was 32.4 weeks.

# of Older Siblings	Average Gestation at Delivery
0	32.8 weeks
1	33.5 weeks
2	33.9 weeks
3	34.6 weeks
4	35.3 weeks
5	35.3 weeks
6	33.5 weeks

Triplet Births by Month/Season													
(Note: son	(Note: some surveys did not give a DOB)												
January	120												
February	119												
March	117												
April	127	25% born in Winter											
May	113	24% born in Spring											
June	129	2170 2011 111 0011119											
July	130	25% born in Summer											
August	114	26% born in Fall											
September	129	20% 00111 111 Fall											
October	133												
November	122												
December	135												

Zygosity:

- ₹80.7% of triplets were all fraternal
- ♥2.9% of triplets were all identical

- ■11.6 % of triplets were a combination of identical and fraternal
- ₹4.8% of triplets were of an unknown zygosity

Gender:

- 49.51% of triplets were female
- ₹49.36% of triplets were male
- ■1.13 % gave no answer

Breastfeeding:

- ♥52% of all triplet mothers breastfed their babies for an average of 14.4 weeks.
- ■30% of all triplet mothers pumped breast milk for their babies for an average of 12.5 weeks.
- Triplet mothers either breastfed or provided breast milk for their babies for a total average of 13.6 weeks.
- ♥48% of triplet mothers indicated having difficulty breastfeeding or pumping.

Location:

The state with the largest population of triplets in this survey is New York representing 20.6% of all triplet surveys followed by New Jersey at 9.3%, Texas at 5.25%, Illinois at 5.05%, and California at 5%.

- ₹95.2% of the respondents to this survey lived in the US
- ♥1.6% lived outside the US
- ■3.2% did not indicate a location

The year with the most triplet births in this survey was 1996 with 180 triplet families responding.

Year 19**										Year 20**													
Year	84	86	87	88	89	90	91	92	93	94	95	96	97	98	99	00	01	02	03	04	05	06	07
Count	4	4	13	13	22	32	38	65	66	105	122	180	102	132	134	92	103	118	65	35	21	13	3

(Note: 18 triplet surveys did not give a date of birth; 6 triplet surveys indicated a date of birth prior to 1984.)